Mr. Bond Breaker

Simplified Filtering Systems

Steel Camel

The Industry's Answer To Breaking The Water & Alcohol Bond

In Phase Separation Levels of Ethanol Blended Fuels

Labor Saving	**Space Saving**	**Back Injury Saving**
Fuel Injector Saving	**Fuel Loss Saving**	***Improved Fuel Quality***

For those contactors, fleets and tank owners who know the difficulty and high cost of tackling a tank full cloudy ETHANOL blended gasoline, Steel Camel is pleased to offer Mr. Bond Breaker Filtering Systems. The filters feature patented chemistry to break the difficult bond of water and alcohol to reduce filtering time and improve fuel quality, all while reducing fuel losses on each job.

Tank Owners & Contractors • Fleets • Mobile Mechanics • Marinas

Rental Car & Equipment Agencies • Auto Salvage • Racing Teams

Feature and Benefits:

All Aluminum Construction	→	Light Weight and Easy To Move Around and Lift
Simple Design	→	Easy to Operate and Change Filters & Hoses
Sample Collection Valve and Port	→	Easy To Inspect Progress
Small Foot Print	→	No Big Truck or Trailer Required
Patented Bond Breaking Chemistry	→	Super Clean and Dry Fuel
Comes in 4, 2 and 1 Unit Configurations	→	Assures Maximum Flexibility
Runs Off Air Operated Diaphragm Pump	→	Assures Maximum Safety
Filters Have Large Water Holding Capacity	→	Reduces Labor Costs & Provides Better Economics
Industrial Debris Screen	→	Prevents Damage to Pump and Equipment

Specifications / Capacities of Cartridge Filters

Down to 10 Micron

Each hold 1 gallon of water by weight

7” x 18” and 7 x 30”

Requirements - Supplies Needed

Air Operated Diaphragm Pump

Portable or Fixed Air Compressor

Ethanol Resistant Fuel Grade Hoses

Contact Information: Steel Camel, Tampa FL www.steelcamel.com sales@steelcamel.com 813-877-4665

Diagram

Mobile Set Up



Mr. Bond Breaker

Specifications

One Vessel Unit

Two Vessel Unit

Four Vessel Unit

Debris Screen

Weight	60 lb	90 lb	280 lb
Dimensions	18” x 20 x 46”	10” x 20” x 36”	Fits on 32” x 40” pallet
Construction	Aluminum	Aluminum	Aluminum
Gauges	Standard	Standard	Standard
Debris Screen	Standard	Standard	Standard
Coalescing Media for Heavy Water	Optional	Optional	Optional
Grounding Strap	Standard	Standard	Standard
Powered	Air / Fuel Dispenser	Air	Air
Air Compressor minimum CFM / PSI	80 PSI & UP	MFG Rec Spec	MFG Rec Spec
	Customer Supplied	Customer Supplied	Customer Supplied
Air Operated Diaphragm Pump	Up 12 GPM	Up To 24 GPM	Up To 50 GPM
	Customer Supplied	Customer Supplied	Customer Supplied
Inlets / Outlets Quick Disconnect Cam Lock	3/4 Inch	3/4 Inch	3/4 Inch
Gallons Per Hour	@ 600	@1300	@2700
Ethanol Resistant Hoses	Upon Request	Upon Request	Upon Request
Maximum Lift	8-10 Ft.	14-16 ft	14-16 Ft.
Tires	13’ Flat Free	None	None
Drip Tray	none	none	Yes

Mr. Bond Breaker

Pricing

One Vessel Unit

Two Vessel Unit

Four Vessel Unit

Debris Screen

Unit Price (approximate / base model)	$1,850.0	$2,950.00	$7,300.00
Filters			
7”x18” Each	$80.00	$80.00	$80.00
Case 12	$929.00	$929.00	$929.00
7” x 36” Each	$133.00	$133.00	$133.00
Case 12	$1,575.00	$1,575.00	$1,575.00
Extra Debris Screen	Call	Call	Call
Coalescing Media for Heavy Water	Call	Call	Call
Ethanol Resistant Hoses	$6-8.00 per ft.	$6-8.00 per ft.	$6-8.00 per ft.
Freight Charges	Call	Call	Call

Using Traditional Filters

Using Mr. Bond Breaker

Contact Information: Steel Camel, Tampa FL www.steelcamel.com sales@steelcamel.com 813-877-4665